


## Vibratory Tumbling Media - Synthetic



### Synthetic Media

SYNTHETIC MEDIA (50 lb. pkg) For general metal removal, prepaint or preplate finishing, polishing, fast and heavy cutting.


[View Formula, Description & Grid](#)

Formulations	Formula Code	Color	Purpose	Media Wear	Surface Finish	Weight Per Cubic Foot
Polish	SM	Pink	Preplate	Excellent	Polish	55-60
Preplate	SV	Light Green	Preplate	Good	Fine	55-60
General Purpose	SX	Pink	General Purpose	Good	Matte	55-60
Fast Cut	SY-1	Tan	General Purpose	Good	Matte	55-60
Aggressive	SY	Tan	General Purpose	Good	Matte	55-60

### Cone

#### Formulations

Size Shape	SM	SV	SX	SY-1	SY
3/8 x 3/8	N	S	S	N	N
7/16 x 5/8	N	N	N	N	N
1/2 x 9/16	N	S	S	S	S
5/8 x 7/8	N	N	N	N	N
3/4 x 3/4	N	S	S	S	S
1 1/4 x 1 1/4	N	S	N	S	S
1 1/2 x 1 1/2	N	N	N	N	N





## Vibratory Tumbling Media - Synthetic

### Tristar

#### Formulations


Size Shape	SM	SV	SX	SY-1	SY
2 x 1	N	N	N	N	N



### Cylinder Wedge

#### Formulations

Size Shape	SM	SV	SX	SY-1	SY
3/4 x 3/4	N	N	N	N	N
1 1/8 x 1	N	N	N	N	N
1 1/2 x 1 1/2	N	N	N	N	N



### Tetrahedron

#### Formulations

Size Shape	SM	SV	SX	SY-1	SY
3/4 x 3/4	N	N	N	N	N
1 1/8 x 1 1/8	N	N	N	S	S
2 x 2	N	N	N	N	N
3 x 3	N	N	N	N	N



## Vibratory Tumbling Media - Synthetic

### Pyramid

#### Formulations

Size Shape	SM	SV	SX	SY-1	SY
3/8 x 3/8	N	N	N	N	N
3/8 x 5/8	N	N	S	N	N
1 5/8 x 1 x 1	N	N	N	N	N



### Wedge (Bowtie)

#### Formulations

Size Shape	SM	SV	SX	SY-1	SY
1 x 3/4	N	N	S	N	N
1 1/2 x 1	N	N	N	S	S
2 x 1 1/4	N	N	N	N	N



### Triangle

#### Formulations

Size Shape	SM	SV	SX	SY-1	SY
5/8 x 3/8 x 1/2	N	N	N	N	N
1 1/4 x 7/8 x 5/8	N	N	S	N	N

